








MILES TECH SPECIFICATIONS



2.0 CARRÉ LED PCB 9W | phase-cut dim 220-240VAC | 50-60Hz aluminium powder coated brushed wet painted or marble

2700K | 3000K



LED PCB 9W | phase-cut dim 220-240VAC | 50-60Hz aluminium powder coated brushed wet painted or marble

2700K | 3000K

3.0 ROUND





ø190

2.0 ROUND

LED PCB 9W | phase-cut dim

220-240VAC | 50-60Hz


aluminium powder coated brushed

wet painted or marble

2700K | 3000K


38-43

3.0 CARRÉ LED PCB 9W | phase-cut dim 220-240VAC | 50-60Hz aluminium powder coated brushed wet painted or marble 2700K | 3000K



9.0 LED PCB 31W | phase-cut dim 220-240VAC | 50-60Hz aluminium powder coated brushed wet painted .

2700K | 3000K



12.0 LED PCB 39W | phase-cut dim 220-240VAC | 50-60Hz aluminium powder coated brushed wet painted **İ** • • 2700K | 3000K



MILES AHEAD

It's not hard to see that MILES is once again light years ahead of the rest. Because this minimalistic luminaire is already sporting the trends that will be hanging on every wall next season: Its covers made of exquisite marble and various colours are sure to turn heads. The other surprises MILES has to offer? Three different shapes (round, carré, and long) and two sizes that can be individually combined with one another, turning even the most austere wall into an absolute eye-catcher. Très chic!



MORE INFO weverducre.com