WEVER & DUCRÉ LIGHTING

DINOR 3.0 E27

2553E0BG0

PROJECT

TYPE


NOTES

QUANTITY

DATE



Cone shaped ceiling suspended luminaire made from aluminium; surface Black Matt + Gold wet painted; matt texture; RAL 9011 + No matching RAL; inclusive black adjustable cable suspension max. 4000mm; lamp socket E27; lamp type A60; max. 20W; 100 - 240 V; degree of protection IP20; Class 1; ceiling base not included; light source replaceable by Wever & Ducré or by a professional with explicit authorization;



LUMINAIRE

Ceiling
Suspended
Black Matt + Gold
RAL 9011 + No matching RAL [a]
IP20
Interior

LAMP

lamp A60
socket E27
max. per socket 20.0 W
2700 K
CRI ≥ 90
L80 / 60000h
≤ 6 SDCM (initial MacAdam)

ELECTRICAL

100 - 240 V
Class I

PHYSICAL


diameter 760 mm
height 235 mm
2.3 kg
cable length 4000 mm

[a] Colour may deviate slightly due to production conditions

MEASURED LAMP

9003E163
405 lm
10 W

LIGHT DISTRIBUTION



Maintenance Factor

Operating Time [h]	10.000	20.000	30.000	40.000	50.000
LLMF	0	0	0	0	0
LSF	1	1	1	1	1

MF	LMF × RSMF × LLMF × LSF
MF	Maintenance Factor
LMF[a]	Luminaire Maintenance Factor
RSMF[a]	Room Surface Maintenance Factor
LLMF	Lamp Lumens Maintenance Factor
LSF	Lamp Survival Factor

[a]According to "CIE 97, Maintenance of indoor electric lighting systems", 2005, ISBN 3-900-734-34-8. The values must be determined by the planner.

MOUNTING ACCESSORIES

AH | SINGLE BASE ROUND

TYPE	COLOUR	VOLTAGE	Ø·H (MM)	ITEM NUMBER
excl. driver	Black		83·39	914110B0
excl. driver	Gold		83·39	914110G0
excl. driver	Aluminium		83·39	914110L0
excl. driver	Champagne		83·39	914110M0
excl. driver	Bronze		83·39	914110Q0
excl. driver	White		83·39	914110W0

BH | SEMI RECESSED SINGLE BASE ROUND

TYPE	COLOUR	VOLTAGE	Ø·H (MM)	ITEM NUMBER
	Black		84·72	914150B0
	Aluminium		84·72	914150L0
	Champagne		84·72	914150M0
	Bronze		84·72	914150Q0
	White		84·72	914150W0

CABLE WALL-CEILING BRACKET

TYPE	COLOUR	VOLTAGE	Ø·H (MM)	ITEM NUMBER
	White		16·30	90019197
	Black		16·30	90019198

CH | INVISIBLE CEILING BASE

TYPE	COLOUR	VOLTAGE	L·W (MM)	ITEM NUMBER
	Black		140·66	90015195
	White		140·66	90015196

DH | MULTI BASE ROUND

TYPE	COLOUR	VOLTAGE	Ø·H (MM)	ITEM NUMBER
up to max. 4 luminaires	White		123·44	90052005
up to max. 4 luminaires	Black		123·44	90052006
up to max. 8 luminaires	White		123·44	90052031
up to max. 8 luminaires	Black		123·44	90052032

['2553E0BG0'] The technical data represent rated values for an ambient temperature of 25°C. The data values for the luminous flux are initially subject to a tolerance of +/- 10%, those for the electrical connected load are initially subject to a tolerance of +/- 10%, and those for the colour temperature are initially subject to a tolerance of +/- 150 K. No liability is assumed for typographical or printing errors. The general terms and conditions of Wever & Ducré BV apply.

© Wever & Ducré BV · Spinnerijstraat 99/21 · 8500 Kortrijk · Belgium · www.weverducre.com

DINOR 3.0 E27

2553E0BG0

EH | MULTI BASE LINEAR

TYPE	COLOUR	VOLTAGE	L·W·H (MM)	ITEM NUMBER
3 luminaires	Black		600·34·52	914130B0
3 luminaires	White		600·34·52	914130W0
6 luminaires	Black		1200·34·52	914131B0
6 luminaires	White		1200·34·52	914131W0
9 luminaires	Black		1800·34·52	914132B0
9 luminaires	White		1800·34·52	914132W0

FH | MULTI CHANDELIER

TYPE	COLOUR	VOLTAGE	Ø·H (MM)	ITEM NUMBER
1-9 luminaires | wide slots	Black		380·44	914120BB0
1-9 luminaires | wide slots	Black + Aluminium		380·44	914120BL0
1-9 luminaires | wide slots	Black + Champagne		380·44	914120BM0
1-9 luminaires | wide slots	Black + Bronze		380·44	914120BQ0
1-9 luminaires | wide slots	White		380·44	914120WW0

HOOK LONG

TYPE	COLOUR	VOLTAGE	Ø·H (MM)	ITEM NUMBER
for cable 4.25-5.5mm diameter	White		15·49	90052083
for cable 4.25-5.5mm diameter	Black		15·49	90052084

IH | WALL BASE

TYPE	COLOUR	VOLTAGE	Ø·H (MM)	ITEM NUMBER
for 1 luminaire	White		82·32	90019195
for 1 luminaire	Black		82·32	90019196

MULTI CHANDELIER HV

TYPE	COLOUR	VOLTAGE	Ø·H (MM)	ITEM NUMBER
1-9 luminaires | no slots | always use with hooks	Black		380·44	914160BB0
1-9 luminaires | no slots | always use with hooks	Black + Aluminium		380·44	914160BL0
1-9 luminaires | no slots | always use with hooks	Black + Champagne		380·44	914160BM0
1-9 luminaires | no slots | always use with hooks	Black + Bronze		380·44	914160BQ0
1-9 luminaires | no slots | always use with hooks	White		380·44	914160WW0

LAMPS

G95 LED LAMP

TYPE	COLOUR	VOLTAGE	Ø·H (MM)	ITEM NUMBER
2700K | CRI >90 | E27 | 220-240VAC	Opal		95·138	9003E163
2700K | CRI >90 | E27 | 110-130VAC	Opal		95·138	9087E893

TRACK ACCESSORIES

TRACK ADAPTER 2.0

TYPE	COLOUR	VOLTAGE	L·W·H (MM)	ITEM NUMBER
1-phase track	White		80·24·26	90014277
1-phase track	Black		80·24·26	90014278

TRACK ADAPTER HV

TYPE	COLOUR	VOLTAGE	L·W·H (MM)	ITEM NUMBER
3-phase track	White		70·31·50	90014279
3-phase track	Black		70·31·50	90014280

['2553E0BG0'] The technical data represent rated values for an ambient temperature of 25°C. The data values for the luminous flux are initially subject to a tolerance of +/- 10%, those for the electrical connected load are initially subject to a tolerance of +/- 10%, and those for the colour temperature are initially subject to a tolerance of +/- 150 K. No liability is assumed for typographical or printing errors. The general terms and conditions of Wever & Ducré BV apply.

© Wever & Ducré BV · Spinnerijstraat 99/21 · 8500 Kortrijk · Belgium · www.weverducre.com