



PROJECT

TYPE

NOTES

QUANTITY

DATE



General

Ceiling _____
 Track Suspended _____
 White Matt _____
 IP20 _____
 Interior _____

LED

lamp PAR11 _____
 socket GU10 _____
 max. per socket 12.0 W _____

Electrical


220 - 240 V _____
 Class I _____
 Standard _____

Physical

diameter 43 mm _____
 height 300 mm _____
 0.4 kg _____
 cable length max. 2500 mm _____
 incl. 3-phase track adapter _____



Cylindrical suspended luminaire made from die-cast aluminium incl. 3-phase track adapter; surface White Matt; powder coated; matt texture; polycarbonate track adapter and cable in Pure White; lamp socket GU10; lamp type PAR11; max. 12W; 220 - 240 V; degree of protection IP20; Class 1; lamp not included; inclusive adjustable cable suspension max. 2500mm; 3-phase track adapter included;



[‘260520W0’] The technical data represent rated values for an ambient temperature of 25°C. The data values for the luminous flux are initially subject to a tolerance of +/- 10%, those for the electrical connected load are initially subject to a tolerance of +/- 10%, and those for the colour temperature are initially subject to a tolerance of +/- 150 K. No liability is assumed for typographical or printing errors. The general terms and conditions of Wever & Ducré BV apply.



MOUNTING ACCESSORIES

Adjustable Corner

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track	Black		81-81-20	90014041
1-phase track	White		81-81-20	90014042

X-Connector

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track	White		145-145-20	90014049
1-phase track	Black		145-145-20	90014050

TRACK ACCESSORIES

Coverplate End Feed

Type	Colour	Voltage	L·W (MM)	Item number
1-phase track recessed	White		75-50	90014124
1-phase track recessed	Black		75-50	90014125

Coverplate I/L/T/X

Type	Colour	Voltage	L·W (MM)	Item number
1-phase track recessed	White		100-100	90014126
1-phase track recessed	Black		100-100	90014127

End Cap

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track left/right	White		24-30-20	90014028
1-phase track left/right	Black		24-30-20	90014029

End Feed | left

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track	White		88-30-20	90014018
1-phase track	Black		88-30-20	90014019

End Feed | right

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track	White		88-30-20	90014020
1-phase track	Black		88-30-20	90014021

L-Connector

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track left	White		88-55-20	90014024
1-phase track left	Black		88-55-20	90014025
1-phase track right	White		88-55-20	90014026
1-phase track right	Black		88-55-20	90014027

Middle Feed

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track straight	White		145-30-20	90014036
1-phase track straight	Black		145-30-20	90014037

Mounting Bracket

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track recessed			35-59-35	90014100


Straight Connector

Type	Colour	Voltage	L·H (MM)	Item number
1-phase track straight	White		65-17	90014022
1-phase track straight	Black		65-17	90014023

Suspension Set 1.5m

Type	Colour	Voltage	Ø·H (MM)	Item number
1-phase track suspended	White		29-1500	90014101
1-phase track suspended	Black		29-1500	90014102

Suspension Set 3.0m

Type	Colour	Voltage	Ø·H (MM)	Item number
1-phase track suspended	White		29-3000	90014103
1-phase track suspended	Black		29-3000	90014104

T-Connector 1.0

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track	White		145-55-20	90014010
1-phase track	Black		145-55-20	90014011

T-Connector 2.0

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track	White		145-55-20	90014012
1-phase track	Black		145-55-20	90014013

T-Connector 3.0

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track	White		145-55-20	90014014
1-phase track	Black		145-55-20	90014015

T-Connector 4.0

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track	White		145-55-20	90014016
1-phase track	Black		145-55-20	90014017

Track Adapter 1.0

Type	Colour	Voltage	L·H (MM)	Item number
1-phase track	Black		85-45	90014043
1-phase track	White		85-45	90014044

LAMPS
PAR11 LED Lamp

Type	Colour	Voltage	Ø·H (MM)	Item number
2700K >90 CRI GU10	Black		35-48	901128B3
3000K >90 CRI GU10	Black		35-48	901128B5
2700K >90 CRI GU10	White		35-48	901128W3
3000K >90 CRI GU10	White		35-48	901128W5

TRACKS


Track Profile 1m

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track surface/suspended	White		1000·30·20	90014001
1-phase track surface/suspended	Black		1000·30·20	90014007
1-phase track recessed	White		1000·50·20	90014118
1-phase track recessed	Black		1000·50·20	90014119

Track Profile 2m

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track surface/suspended	White		2000·30·20	90014002
1-phase track surface/suspended	Black		2000·30·20	90014008
1-phase track recessed	White		2000·50·20	90014120
1-phase track recessed	Black		2000·50·20	90014121

Track Profile 3m

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track surface/suspended	White		3000·30·20	90014003
1-phase track surface/suspended	Black		3000·30·20	90014009
1-phase track recessed	White		3000·50·20	90014122
1-phase track recessed	Black		3000·50·20	90014123