



PROJECT

---

TYPE

---

NOTES

---

QUANTITY

---

DATE

---



**General**

Ceiling  
 Track Suspended  
 White Matt  
 IP20  
 Interior

**LED**

lamp PAR11  
 socket GU10  
 max. per socket 12.0 W

**Electrical**


220 - 240 V  
 Class I  
 Standard

**Physical**

diameter 43 mm  
 height 300 mm  
 0.4 kg  
 cable length max. 2500 mm  
 incl. 1-phase track adapter



Cylindrical suspended luminaire made from die-cast aluminium incl. 1-phase track adapter; surface White Matt; powder coated; matt texture; polycarbonate track adapter and cable in Pure White; lamp socket GU10; lamp type PAR11; max. 12W; 220 - 240 V; degree of protection IP20; Class 1; lamp not included; inclusive adjustable cable suspension max. 2500mm; 1-phase Global track adapter included;



[‘260320W0’] The technical data represent rated values for an ambient temperature of 25°C. The data values for the luminous flux are initially subject to a tolerance of +/- 10%, those for the electrical connected load are initially subject to a tolerance of +/- 10%, and those for the colour temperature are initially subject to a tolerance of +/- 150 K. No liability is assumed for typographical or printing errors. The general terms and conditions of Wever & Ducré BV apply.



## MOUNTING ACCESSORIES

### Adjustable Corner

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track	Black		81-81-20	90014041
1-phase track	White		81-81-20	90014042

### X-Connector

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track	White		145-145-20	90014049
1-phase track	Black		145-145-20	90014050

## TRACK ACCESSORIES

### Coverplate End Feed

Type	Colour	Voltage	L·W (MM)	Item number
1-phase track   recessed	White		75-50	90014124
1-phase track   recessed	Black		75-50	90014125

### Coverplate I/L/T/X

Type	Colour	Voltage	L·W (MM)	Item number
1-phase track   recessed	White		100-100	90014126
1-phase track   recessed	Black		100-100	90014127

### End Cap

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track   left/right	White		24-30-20	90014028
1-phase track   left/right	Black		24-30-20	90014029

### End Feed | left

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track	White		88-30-20	90014018
1-phase track	Black		88-30-20	90014019

### End Feed | right

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track	White		88-30-20	90014020
1-phase track	Black		88-30-20	90014021

### L-Connector

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track   left	White		88-55-20	90014024
1-phase track   left	Black		88-55-20	90014025
1-phase track   right	White		88-55-20	90014026
1-phase track   right	Black		88-55-20	90014027

### Middle Feed

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track   straight	White		145-30-20	90014036
1-phase track   straight	Black		145-30-20	90014037

### Mounting Bracket

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track   recessed			35-59-35	90014100


**Straight Connector**

Type	Colour	Voltage	L·H (MM)	Item number
1-phase track   straight	White		65-17	90014022
1-phase track   straight	Black		65-17	90014023

**Suspension Set 1.5m**

Type	Colour	Voltage	Ø·H (MM)	Item number
1-phase track   suspended	White		29-1500	90014101
1-phase track   suspended	Black		29-1500	90014102

**Suspension Set 3.0m**

Type	Colour	Voltage	Ø·H (MM)	Item number
1-phase track   suspended	White		29-3000	90014103
1-phase track   suspended	Black		29-3000	90014104

**T-Connector 1.0**

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track	White		145-55-20	90014010
1-phase track	Black		145-55-20	90014011

**T-Connector 2.0**

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track	White		145-55-20	90014012
1-phase track	Black		145-55-20	90014013

**T-Connector 3.0**

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track	White		145-55-20	90014014
1-phase track	Black		145-55-20	90014015

**T-Connector 4.0**

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track	White		145-55-20	90014016
1-phase track	Black		145-55-20	90014017

**Track Adapter 1.0**

Type	Colour	Voltage	L·H (MM)	Item number
1-phase track	Black		85-45	90014043
1-phase track	White		85-45	90014044

**LAMPS**
**PAR11 LED Lamp**

Type	Colour	Voltage	Ø·H (MM)	Item number
2700K   >90 CRI   GU10	Black		35-48	901128B3
3000K   >90 CRI   GU10	Black		35-48	901128B5
2700K   >90 CRI   GU10	White		35-48	901128W3
3000K   >90 CRI   GU10	White		35-48	901128W5

**TRACKS**


**Track Profile 1m**

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track   surface/suspended	White		1000·30·20	90014001
1-phase track   surface/suspended	Black		1000·30·20	90014007
1-phase track   recessed	White		1000·50·20	90014118
1-phase track   recessed	Black		1000·50·20	90014119

**Track Profile 2m**

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track   surface/suspended	White		2000·30·20	90014002
1-phase track   surface/suspended	Black		2000·30·20	90014008
1-phase track   recessed	White		2000·50·20	90014120
1-phase track   recessed	Black		2000·50·20	90014121

**Track Profile 3m**

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track   surface/suspended	White		3000·30·20	90014003
1-phase track   surface/suspended	Black		3000·30·20	90014009
1-phase track   recessed	White		3000·50·20	90014122
1-phase track   recessed	Black		3000·50·20	90014123