



PROJECT

TYPE


NOTES

QUANTITY

DATE



Luminaire for 1-phase tracks; italian hand blown white opal glass; mounting made from aluminium in Black Matt; powder coated; matt texture; lamp socket G9; lamp type QT14; max. 5W; 220 - 240 V; degree of protection IP20; Class I; lamp not included; 1-phase Global track adapter included;



General

Ceiling
Track
Black Matt + White Opal Glass
RAL 9011 + No matching RAL ^a
IP20
Interior
260 lm

LED

lamp QT14
socket G9
max. per socket 5.0 W
3000 K
CRI ≥ 80
≤ 6 SDCM (initial MacAdam)

Optical

Opal
CIE flux code: 26 51 76 60 87


Electrical

220 - 240 V
inset 3.0 W ^b
Class I

Physical

diameter 126 mm
height 147 mm
0.6 kg
adapter 75 mm
incl. 1-phase track adapter

LIGHT DISTRIBUTION



^a Colour may deviate slightly due to production conditions

^b Without electrical and optical losses



MOUNTING ACCESSORIES

Adjustable Corner

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track	Black		81-81-20	90014041
1-phase track	White		81-81-20	90014042

X-Connector

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track	White		145-145-20	90014049
1-phase track	Black		145-145-20	90014050

TRACK ACCESSORIES

Coverplate End Feed

Type	Colour	Voltage	L·W (MM)	Item number
1-phase track recessed	White		75-50	90014124
1-phase track recessed	Black		75-50	90014125

Coverplate I/L/T/X

Type	Colour	Voltage	L·W (MM)	Item number
1-phase track recessed	White		100-100	90014126
1-phase track recessed	Black		100-100	90014127

End Cap

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track left/right	White		24-30-20	90014028
1-phase track left/right	Black		24-30-20	90014029

End Feed | left

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track	White		88-30-20	90014018
1-phase track	Black		88-30-20	90014019

End Feed | right

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track	White		88-30-20	90014020
1-phase track	Black		88-30-20	90014021

L-Connector

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track left	White		88-55-20	90014024
1-phase track left	Black		88-55-20	90014025
1-phase track right	White		88-55-20	90014026
1-phase track right	Black		88-55-20	90014027

Middle Feed

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track straight	White		145-30-20	90014036
1-phase track straight	Black		145-30-20	90014037

Mounting Bracket

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track recessed			35-59-35	90014100

[1724GOWBO] The technical data represent rated values for an ambient temperature of 25°C. The data values for the luminous flux are initially subject to a tolerance of +/- 10%, those for the electrical connected load are initially subject to a tolerance of +/- 10%, and those for the colour temperature are initially subject to a tolerance of +/- 150 K. No liability is assumed for typographical or printing errors. The general terms and conditions of Wever & Ducré BV apply.

© Wever & Ducré BV · Spinnerijstraat 99/21 · 8500 Kortrijk · Belgium · www.weverducre.com


Straight Connector

Type	Colour	Voltage	L-H (MM)	Item number
1-phase track straight	White		65-17	90014022
1-phase track straight	Black		65-17	90014023

Suspension Set 1.5m

Type	Colour	Voltage	Ø-H (MM)	Item number
1-phase track suspended	White		29-1500	90014101
1-phase track suspended	Black		29-1500	90014102

Suspension Set 3.0m

Type	Colour	Voltage	Ø-H (MM)	Item number
1-phase track suspended	White		29-3000	90014103
1-phase track suspended	Black		29-3000	90014104

T-Connector 1.0

Type	Colour	Voltage	L-W-H (MM)	Item number
1-phase track	White		145-55-20	90014010
1-phase track	Black		145-55-20	90014011

T-Connector 2.0

Type	Colour	Voltage	L-W-H (MM)	Item number
1-phase track	White		145-55-20	90014012
1-phase track	Black		145-55-20	90014013

T-Connector 3.0

Type	Colour	Voltage	L-W-H (MM)	Item number
1-phase track	White		145-55-20	90014014
1-phase track	Black		145-55-20	90014015

T-Connector 4.0

Type	Colour	Voltage	L-W-H (MM)	Item number
1-phase track	White		145-55-20	90014016
1-phase track	Black		145-55-20	90014017

Track Adapter 1.0

Type	Colour	Voltage	L-H (MM)	Item number
1-phase track	Black		85-45	90014043
1-phase track	White		85-45	90014044

LAMPS
QT14 LED Lamp

Type	Colour	Voltage	Ø-H (MM)	Item number
2700K G9			16-52	9010G802
2700K G9			19-49	9010G803
3000K G9			18-49	9010G804
3000K G9			19-49	9010G805

TRACKS


Track Profile 1m

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track surface/suspended	White		1000·30·20	90014001
1-phase track surface/suspended	Black		1000·30·20	90014007
1-phase track recessed	White		1000·50·20	90014118
1-phase track recessed	Black		1000·50·20	90014119

Track Profile 2m

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track surface/suspended	White		2000·30·20	90014002
1-phase track surface/suspended	Black		2000·30·20	90014008
1-phase track recessed	White		2000·50·20	90014120
1-phase track recessed	Black		2000·50·20	90014121

Track Profile 3m

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track surface/suspended	White		3000·30·20	90014003
1-phase track surface/suspended	Black		3000·30·20	90014009
1-phase track recessed	White		3000·50·20	90014122
1-phase track recessed	Black		3000·50·20	90014123