



PROJECT

TYPE

NOTES

QUANTITY

DATE



LUMINAIRE

Floor

Standing

tilt max 135 °

Anthracite Grey

RAL 7016 ^a

IP65

Exterior

500 lm

LED Module

3000 K

CRI ≥ 90

L70 / 55000h

≤ 3 SDCM (initial MacAdam)

Optical


Medium (standard)

beam angle 38°

UGR ≤ 19

CIE flux code: 93 99 100 100 100

LIGHT DISTRIBUTION



Cylindrical outdoor floor projector; surface Anthracite Grey; powder coated; matt texture; RAL 7016; with COB (Chip on Board) technology for maximum efficiency; phase-cut dim; light colour 3000 K; CRI ≥ 90; 220 - 240 V; 135° tiltable; degree of protection IP65; Class 2; fixation base not included; driver included; optional ground spike available; light source replaceable by Wever & Ducré or by a professional with explicit authorization;

Electrical

phase-cut dim

220 - 240 V

system 6.7 W

Class II

Standard

Physical

diameter 52 mm


height 120 mm

0.52 kg

datasheet.quicksum.material

Aluminum

^a Colour may deviate slightly due to production conditions



[737468A5] The technical data represent rated values for an ambient temperature of 25°C. The data values for the luminous flux are initially subject to a tolerance of +/- 10%, those for the electrical connected load are initially subject to a tolerance of +/- 10%, and those for the colour temperature are initially subject to a tolerance of +/- 150 K. No liability is assumed for typographical or printing errors. The general terms and conditions of Wever & Ducré BV apply.



BASE

Ground Spike

Type	Colour	Voltage	Ø·H (MM)	Item number
STAKE 1.0			43·212	90013106

Pole 200

Type	Colour	Voltage	Ø·H (MM)	Item number
STIPO with fixation plate	Anthracite Grey		45·200	910062A0
STIPO with fixation plate	Bronze		45·200	910062Q0

Pole 400

Type	Colour	Voltage	Ø·H (MM)	Item number
STIPO with fixation plate	Anthracite Grey		45·400	910064A0
STIPO with fixation plate	Bronze		45·400	910064Q0

Pole 600

Type	Colour	Voltage	Ø·H (MM)	Item number
STIPO with fixation plate	Anthracite Grey		45·600	910066A0
STIPO with fixation plate	Bronze		45·600	910066Q0