

**WEVER & DUCRÉ**  
LIGHTING

# ODREY WALL 2.5

387620BB0

## GENERAL

Wall , Surface

Black Matt

RAL 9005 <sup>a</sup>

IP20

Interior

Indirect 460<sup>b</sup> to 480° lm

Direct 460<sup>b</sup> to 480° lm

Total 920<sup>b</sup> to 960° lm

CIE flux code: 94 98 100 50 73

## LED

Lamp PAR16

Socket GU10

max. per socket 12.0 W

CRI ≥ 90

## ELECTRICAL

100 - 240 V

LED Inset 13.0 W

Class 1

## PHYSICAL

Diameter 115 mm

Height 404 mm

0.54 kg

<sup>a</sup> Color may deviate slightly due to production conditions.

<sup>b</sup> PAR16 LAMP 2700K CRI90

<sup>c</sup> PAR16 LAMP 3000K CRI90

Project

Type


Notes

Quantity


Date



Wall surface luminaire made from die-cast aluminium; surface Black Matt wet painted; matt texture; RAL 9005; up and down light emission; lamp socket GU10; lamp type PAR16; max. 12W; 100 - 240 V; degree of protection IP20; PC1; lamp not included;



## LIGHT DISTRIBUTION



ODREY  
WALL 2.5

387620BB0

LAMPS

PAR16 LED Lamp

TYPE	COLOUR	Ø · H (MM)	ORDERCODE
2700K   >90 CRI   GU10	Black	ø50 · 60	9 0 1 2 2 8 B 3
3000K   >90 CRI   GU10	Black	ø50 · 60	9 0 1 2 2 8 B 5
2700K   >90 CRI   GU10	White	ø50 · 60	9 0 1 2 2 8 W 3
3000K   >90 CRI   GU10	White	ø50 · 60	9 0 1 2 2 8 W 5
2700K   >80 CRI   GU10	Silver	ø50 · 60	9 0 5 2 2 7 S 2
3000K   >80 CRI   GU10	Silver	ø50 · 60	9 0 5 2 2 7 S 4