

## **ODREY WALL 1.4**

387220GG0

Pro	ect
Тур	е
Not	es
-	ntity
Dat	


GENERAL
Wall, Surface
Gold
IP20
Interior
Indirect 0 lm
Direct 385 <sup>a</sup> to 405 <sup>b</sup> lm
Total 385 <sup>a</sup> to 405 <sup>b</sup> lm
CIE flux code: 94 98 100 100 84
LED
Lamp PAR16
Socket GU10
max. per socket 12.0 W
CRI ≥ 90
ELECTRICAL
100 - 240 V
LED Inset 6.5 W Class 1
Class I
PHYSICAL
Diameter 124 mm
Height 205 mm
0.34 kg
a PAR16 LAMP 2700K CRI90

 $^{\rm b}$  PAR16 LAMP 3000K CRI90






Wall surface luminaire made from die-cast aluminium; surface Gold wet painted; matt texture; up or down  $light\ emission; lamp\ socket\ GU10; lamp\ type\ PAR16; max.\ 12W; 100-240\ V; degree\ of\ protection\ IP20; PC1; lamp\ type\ PAR16; max.\ 12W; 100-240\ V; degree\ of\ protection\ IP20; PC1; lamp\ type\ PAR16; lamp\ type\ typ$ lamp not included;



### LIGHT DISTRIBUTION





May 8, 2024



# **ODREY** WALL 1.4

387220GG0

### **LAMPS**

### PAR16 LED Lamp

TYPE	COLOUR	Ø·H (MM)	ORDERCODE
2700K   >90 CRI   GU10	Black	Ø50·60	901228B3
3000K   >90 CRI   GU10	Black	Ø50·60	901228B5
2700K   >90 CRI   GU10	White	Ø50·60	901228W3
3000K   >90 CRI   GU10	White	Ø50·60	901228W5
2700K   >80 CRI   GU10	Silver	Ø50·60	90522782
3000K   >80 CRI   GU10	Silver	ø50·60	9 0 5 2 2 7 S 4