



WEVER & DUCRÉ  
LIGHTING

# ODREY

## on track 1.7 PAR16

187720BB0

Project

Type

Notes

Quantity

Date

### GENERAL

Ceiling , Track Suspended

Black Matt

RAL 9005 <sup>a</sup>

IP20

Interior

Output: 460<sup>b</sup>, 480<sup>c</sup> lm

CIE flux code: 94 98 100 100 100

### LED

Lamp PAR16

Socket GU10

max. per socket 12.0 W

CRI ≥ 90

### ELECTRICAL

incl. 1-phase Global track adapter

100 - 240 V

LED Inset 6.5 W

Class 1

### PHYSICAL

Diameter 151 mm

Height 125 mm

0.32 kg

75 (adapter) mm

incl. 1-phase track adapter


<sup>a</sup> Color may deviate slightly due to production conditions.

<sup>b</sup> PAR16 LAMP 2700K CRI90


<sup>c</sup> PAR16 LAMP 3000K CRI90



Suspended luminaire for 1-phase tracks made from die-cast aluminium; track adapter with height adjustable cable system; surface Black Matt wet painted; matt texture; RAL 9005; lamp socket GU10; lamp type PAR16; max. 12W; 100 - 240 V; degree of protection IP20; PC1; lamp not included;



### LIGHT DISTRIBUTION



# ODREY

## on track 1.7 PAR16

187720BB0

### OPTIONAL

#### Inner cover

| TYPE                         | COLOUR | Ø · H (MM) | ORDERCODE       |
|------------------------------|--------|------------|-----------------|
| suitable for ODREY 1.6   1.7 | Black  | Ø55·42     | 9 1 1 4 2 0 B 0 |
| suitable for ODREY 1.6   1.7 | Gold   | Ø55·42     | 9 1 1 4 2 0 G 0 |
| suitable for ODREY 1.6   1.7 | White  | Ø55·42     | 9 1 1 4 2 0 W 0 |

### SUSPENDED

#### Track Adapter 1.0

| TYPE          | COLOUR | L · H (MM) | ORDERCODE       |
|---------------|--------|------------|-----------------|
| 1-phase track | Black  | 85·45      | 9 0 0 1 4 0 4 3 |
| 1-phase track | White  | 85·45      | 9 0 0 1 4 0 4 4 |

#### Suspension Set 1.5m

| TYPE                      | COLOUR | Ø · H (MM) | ORDERCODE       |
|---------------------------|--------|------------|-----------------|
| 1-phase track   suspended | White  | Ø29·1500   | 9 0 0 1 4 1 0 1 |
| 1-phase track   suspended | Black  | Ø29·1500   | 9 0 0 1 4 1 0 2 |

#### Suspension Set 3.0m

| TYPE                      | COLOUR | Ø · H (MM) | ORDERCODE       |
|---------------------------|--------|------------|-----------------|
| 1-phase track   suspended | White  | Ø29·3000   | 9 0 0 1 4 1 0 3 |
| 1-phase track   suspended | Black  | Ø29·3000   | 9 0 0 1 4 1 0 4 |

#### Track Adapter 2.0

| TYPE          | COLOUR | L · W · H (MM) | ORDERCODE       |
|---------------|--------|----------------|-----------------|
| 1-phase track | White  | 80·24·26       | 9 0 0 1 4 2 7 7 |
| 1-phase track | Black  | 80·24·26       | 9 0 0 1 4 2 7 8 |

### CORNER

#### Adjustable Corner

| TYPE          | COLOUR | L · W · H (MM) | ORDERCODE       |
|---------------|--------|----------------|-----------------|
| 1-phase track | Black  | 81·81·20       | 9 0 0 1 4 0 4 1 |
| 1-phase track | White  | 81·81·20       | 9 0 0 1 4 0 4 2 |

### RECESSED

#### Mounting Bracket

| TYPE                     | L · W · H (MM) | ORDERCODE       |
|--------------------------|----------------|-----------------|
| 1-phase track   recessed | 35·59·35       | 9 0 0 1 4 1 0 0 |

ODREY

on track 1.7 PAR16

187720BB0

Track Profile 1m

| TYPE                     | COLOUR | L · W · H (MM) | ORDERCODE       |
|--------------------------|--------|----------------|-----------------|
| 1-phase track   recessed | White  | 1000-50-20     | 9 0 0 1 4 1 1 8 |
| 1-phase track   recessed | Black  | 1000-50-20     | 9 0 0 1 4 1 1 9 |

Track Profile 2m

| TYPE                     | COLOUR | L · W · H (MM) | ORDERCODE       |
|--------------------------|--------|----------------|-----------------|
| 1-phase track   recessed | White  | 2000-50-20     | 9 0 0 1 4 1 2 0 |
| 1-phase track   recessed | Black  | 2000-50-20     | 9 0 0 1 4 1 2 1 |

Track Profile 3m

| TYPE                     | COLOUR | L · W · H (MM) | ORDERCODE       |
|--------------------------|--------|----------------|-----------------|
| 1-phase track   recessed | White  | 3000-50-20     | 9 0 0 1 4 1 2 2 |
| 1-phase track   recessed | Black  | 3000-50-20     | 9 0 0 1 4 1 2 3 |

Coverplate End Feed

| TYPE                     | COLOUR | L · W (MM) | ORDERCODE       |
|--------------------------|--------|------------|-----------------|
| 1-phase track   recessed | White  | 75-50      | 9 0 0 1 4 1 2 4 |
| 1-phase track   recessed | Black  | 75-50      | 9 0 0 1 4 1 2 5 |

Coverplate I/L/T/X

| TYPE                     | COLOUR | L · W (MM) | ORDERCODE       |
|--------------------------|--------|------------|-----------------|
| 1-phase track   recessed | White  | 100-100    | 9 0 0 1 4 1 2 6 |
| 1-phase track   recessed | Black  | 100-100    | 9 0 0 1 4 1 2 7 |

SURFACE

Track Profile 1m

| TYPE                              | COLOUR | L · W · H (MM) | ORDERCODE       |
|-----------------------------------|--------|----------------|-----------------|
| 1-phase track   surface/suspended | White  | 1000-30-20     | 9 0 0 1 4 0 0 1 |
| 1-phase track   surface/suspended | Black  | 1000-30-20     | 9 0 0 1 4 0 0 7 |

Track Profile 2m

| TYPE                              | COLOUR | L · W · H (MM) | ORDERCODE       |
|-----------------------------------|--------|----------------|-----------------|
| 1-phase track   surface/suspended | White  | 2000-30-20     | 9 0 0 1 4 0 0 2 |
| 1-phase track   surface/suspended | Black  | 2000-30-20     | 9 0 0 1 4 0 0 8 |

Track Profile 3m

| TYPE                              | COLOUR | L · W · H (MM) | ORDERCODE       |
|-----------------------------------|--------|----------------|-----------------|
| 1-phase track   surface/suspended | White  | 3000-30-20     | 9 0 0 1 4 0 0 3 |
| 1-phase track   surface/suspended | Black  | 3000-30-20     | 9 0 0 1 4 0 0 9 |

# ODREY

## on track 1.7 PAR16

187720BB0

### End Cap

| TYPE                       | COLOUR | L · W · H (MM) | ORDERCODE       |
|----------------------------|--------|----------------|-----------------|
| 1-phase track   left/right | White  | 24·30·20       | 9 0 0 1 4 0 2 8 |
| 1-phase track   left/right | Black  | 24·30·20       | 9 0 0 1 4 0 2 9 |

### ELECTRICAL

#### T-Connector 1.0

| TYPE          | COLOUR | L · W · H (MM) | ORDERCODE       |
|---------------|--------|----------------|-----------------|
| 1-phase track | White  | 145·55·20      | 9 0 0 1 4 0 1 0 |
| 1-phase track | Black  | 145·55·20      | 9 0 0 1 4 0 1 1 |

#### T-Connector 2.0

| TYPE          | COLOUR | L · W · H (MM) | ORDERCODE       |
|---------------|--------|----------------|-----------------|
| 1-phase track | White  | 145·55·20      | 9 0 0 1 4 0 1 2 |
| 1-phase track | Black  | 145·55·20      | 9 0 0 1 4 0 1 3 |

#### T-Connector 3.0

| TYPE          | COLOUR | L · W · H (MM) | ORDERCODE       |
|---------------|--------|----------------|-----------------|
| 1-phase track | White  | 145·55·20      | 9 0 0 1 4 0 1 4 |
| 1-phase track | Black  | 145·55·20      | 9 0 0 1 4 0 1 5 |

#### T-Connector 4.0

| TYPE          | COLOUR | L · W · H (MM) | ORDERCODE       |
|---------------|--------|----------------|-----------------|
| 1-phase track | White  | 145·55·20      | 9 0 0 1 4 0 1 6 |
| 1-phase track | Black  | 145·55·20      | 9 0 0 1 4 0 1 7 |

### End Feed | left

| TYPE          | COLOUR | L · W · H (MM) | ORDERCODE       |
|---------------|--------|----------------|-----------------|
| 1-phase track | White  | 88·30·20       | 9 0 0 1 4 0 1 8 |
| 1-phase track | Black  | 88·30·20       | 9 0 0 1 4 0 1 9 |

### End Feed | right

| TYPE          | COLOUR | L · W · H (MM) | ORDERCODE       |
|---------------|--------|----------------|-----------------|
| 1-phase track | White  | 88·30·20       | 9 0 0 1 4 0 2 0 |
| 1-phase track | Black  | 88·30·20       | 9 0 0 1 4 0 2 1 |

### Straight Connector

| TYPE                     | COLOUR | L · H (MM) | ORDERCODE       |
|--------------------------|--------|------------|-----------------|
| 1-phase track   straight | White  | 65·17      | 9 0 0 1 4 0 2 2 |
| 1-phase track   straight | Black  | 65·17      | 9 0 0 1 4 0 2 3 |

### L-Connector

| TYPE                  | COLOUR | L · W · H (MM) | ORDERCODE       |
|-----------------------|--------|----------------|-----------------|
| 1-phase track   left  | White  | 88·55·20       | 9 0 0 1 4 0 2 4 |
| 1-phase track   left  | Black  | 88·55·20       | 9 0 0 1 4 0 2 5 |
| 1-phase track   right | White  | 88·55·20       | 9 0 0 1 4 0 2 6 |
| 1-phase track   right | Black  | 88·55·20       | 9 0 0 1 4 0 2 7 |

ODREY

on track 1.7 PAR16

187720BB0

Middle Feed

| TYPE                     | COLOUR | L · W · H (MM) | ORDERCODE       |
|--------------------------|--------|----------------|-----------------|
| 1-phase track   straight | White  | 145 · 30 · 20  | 9 0 0 1 4 0 3 6 |
| 1-phase track   straight | Black  | 145 · 30 · 20  | 9 0 0 1 4 0 3 7 |

X-Connector

| TYPE          | COLOUR | L · W · H (MM) | ORDERCODE       |
|---------------|--------|----------------|-----------------|
| 1-phase track | White  | 145 · 145 · 20 | 9 0 0 1 4 0 4 9 |
| 1-phase track | Black  | 145 · 145 · 20 | 9 0 0 1 4 0 5 0 |

LAMPS

PAR16 LED Lamp

| TYPE                   | COLOUR | Ø · H (MM) | ORDERCODE       |
|------------------------|--------|------------|-----------------|
| 2700K   >90 CRI   GU10 | Black  | ø50 · 60   | 9 0 1 2 2 8 B 3 |
| 3000K   >90 CRI   GU10 | Black  | ø50 · 60   | 9 0 1 2 2 8 B 5 |
| 2700K   >90 CRI   GU10 | White  | ø50 · 60   | 9 0 1 2 2 8 W 3 |
| 3000K   >90 CRI   GU10 | White  | ø50 · 60   | 9 0 1 2 2 8 W 5 |
| 2700K   >80 CRI   GU10 | Silver | ø50 · 60   | 9 0 5 2 2 7 S 2 |
| 3000K   >80 CRI   GU10 | Silver | ø50 · 60   | 9 0 5 2 2 7 S 4 |