

# PIRRO

## OPAL on track 2.0

173284E5

Project

Type

Notes

Quantity

Date

### GENERAL

Ceiling, Track

Rotation 310°

White Matt + Black Matt

IP20

Interior

Output: 240 lm

CIE flux code: 65 94 100 100 100

### LED

3000 K

CRI ≥ 90

L80 / 60000h

3 SDCM

### OPTICAL

Opal

### ELECTRICAL

phase-cut dim

220 - 240 V

Total connected power 6.6 W

Class 1

### PHYSICAL

Length 94 mm

Width 50 mm

Height 65 mm


0.33 kg

75 (adapter) mm


incl. 1-phase track adapter



Downlight made from die-cast aluminium incl. 1-phase track adapter; opal PMMA cover; housing White Matt powder coated; matt texture; with reflector in Black Matt wet painted; matt fine texture; PCB 3-step binning; phase-cut dim; light colour 3000 K; binning initial MacAdam ≤ 3 SDCM; CRI ≥ 90; CRI (Colour Rendering Index) ≥ 90; 310° rotatable; degree of protection IP20; PC1; light source replaceable by an authorized professional; control gear replaceable by end-user;



### LIGHT DISTRIBUTION



# PIRRO

## OPAL on track 2.0

173284E5

### SUSPENDED

#### Track Adapter 1.0

TYPE	COLOUR	L · H (MM)	ORDERCODE
1-phase track	Black	85-45	9 0 0 1 4 0 4 3
1-phase track	White	85-45	9 0 0 1 4 0 4 4

#### Suspension Set 1.5m

TYPE	COLOUR	Ø · H (MM)	ORDERCODE
1-phase track   suspended	White	Ø29-1500	9 0 0 1 4 1 0 1
1-phase track   suspended	Black	Ø29-1500	9 0 0 1 4 1 0 2

#### Suspension Set 3.0m

TYPE	COLOUR	Ø · H (MM)	ORDERCODE
1-phase track   suspended	White	Ø29-3000	9 0 0 1 4 1 0 3
1-phase track   suspended	Black	Ø29-3000	9 0 0 1 4 1 0 4

#### Track Adapter 2.0

TYPE	COLOUR	L · W · H (MM)	ORDERCODE
1-phase track	White	80-24-26	9 0 0 1 4 2 7 7
1-phase track	Black	80-24-26	9 0 0 1 4 2 7 8

### CORNER

#### Adjustable Corner

TYPE	COLOUR	L · W · H (MM)	ORDERCODE
1-phase track	Black	81-81-20	9 0 0 1 4 0 4 1
1-phase track	White	81-81-20	9 0 0 1 4 0 4 2

### RECESSED

#### Mounting Bracket

TYPE	L · W · H (MM)	ORDERCODE
1-phase track   recessed	35-59-35	9 0 0 1 4 1 0 0

#### Track Profile 1m

TYPE	COLOUR	L · W · H (MM)	ORDERCODE
1-phase track   recessed	White	1000-50-20	9 0 0 1 4 1 1 8
1-phase track   recessed	Black	1000-50-20	9 0 0 1 4 1 1 9

# PIRRO

## OPAL on track 2.0

173284E5

### Track Profile 2m

TYPE	COLOUR	L · W · H (MM)	ORDERCODE
1-phase track   recessed	White	2000-50-20	9 0 0 1 4 1 2 0
1-phase track   recessed	Black	2000-50-20	9 0 0 1 4 1 2 1

### Track Profile 3m

TYPE	COLOUR	L · W · H (MM)	ORDERCODE
1-phase track   recessed	White	3000-50-20	9 0 0 1 4 1 2 2
1-phase track   recessed	Black	3000-50-20	9 0 0 1 4 1 2 3

### Coverplate End Feed

TYPE	COLOUR	L · W (MM)	ORDERCODE
1-phase track   recessed	White	75-50	9 0 0 1 4 1 2 4
1-phase track   recessed	Black	75-50	9 0 0 1 4 1 2 5

### Coverplate I/L/T/X

TYPE	COLOUR	L · W (MM)	ORDERCODE
1-phase track   recessed	White	100-100	9 0 0 1 4 1 2 6
1-phase track   recessed	Black	100-100	9 0 0 1 4 1 2 7

## SURFACE

### Track Profile 1m

TYPE	COLOUR	L · W · H (MM)	ORDERCODE
1-phase track   surface/suspended	White	1000-30-20	9 0 0 1 4 0 0 1
1-phase track   surface/suspended	Black	1000-30-20	9 0 0 1 4 0 0 7

### Track Profile 2m

TYPE	COLOUR	L · W · H (MM)	ORDERCODE
1-phase track   surface/suspended	White	2000-30-20	9 0 0 1 4 0 0 2
1-phase track   surface/suspended	Black	2000-30-20	9 0 0 1 4 0 0 8

### Track Profile 3m

TYPE	COLOUR	L · W · H (MM)	ORDERCODE
1-phase track   surface/suspended	White	3000-30-20	9 0 0 1 4 0 0 3
1-phase track   surface/suspended	Black	3000-30-20	9 0 0 1 4 0 0 9

### End Cap

TYPE	COLOUR	L · W · H (MM)	ORDERCODE
1-phase track   left/right	White	24-30-20	9 0 0 1 4 0 2 8
1-phase track   left/right	Black	24-30-20	9 0 0 1 4 0 2 9

# PIRRO

## OPAL on track 2.0

173284E5

### ELECTRICAL

#### T-Connector 1.0

TYPE	COLOUR	L · W · H (MM)	ORDERCODE
1-phase track	White	145-55-20	9 0 0 1 4 0 1 0
1-phase track	Black	145-55-20	9 0 0 1 4 0 1 1

#### T-Connector 2.0

TYPE	COLOUR	L · W · H (MM)	ORDERCODE
1-phase track	White	145-55-20	9 0 0 1 4 0 1 2
1-phase track	Black	145-55-20	9 0 0 1 4 0 1 3

#### T-Connector 3.0

TYPE	COLOUR	L · W · H (MM)	ORDERCODE
1-phase track	White	145-55-20	9 0 0 1 4 0 1 4
1-phase track	Black	145-55-20	9 0 0 1 4 0 1 5

#### T-Connector 4.0

TYPE	COLOUR	L · W · H (MM)	ORDERCODE
1-phase track	White	145-55-20	9 0 0 1 4 0 1 6
1-phase track	Black	145-55-20	9 0 0 1 4 0 1 7

#### End Feed | left

TYPE	COLOUR	L · W · H (MM)	ORDERCODE
1-phase track	White	88-30-20	9 0 0 1 4 0 1 8
1-phase track	Black	88-30-20	9 0 0 1 4 0 1 9

#### End Feed | right

TYPE	COLOUR	L · W · H (MM)	ORDERCODE
1-phase track	White	88-30-20	9 0 0 1 4 0 2 0
1-phase track	Black	88-30-20	9 0 0 1 4 0 2 1

#### Straight Connector

TYPE	COLOUR	L · H (MM)	ORDERCODE
1-phase track   straight	White	65-17	9 0 0 1 4 0 2 2
1-phase track   straight	Black	65-17	9 0 0 1 4 0 2 3

#### L-Connector

TYPE	COLOUR	L · W · H (MM)	ORDERCODE
1-phase track   left	White	88-55-20	9 0 0 1 4 0 2 4
1-phase track   left	Black	88-55-20	9 0 0 1 4 0 2 5
1-phase track   right	White	88-55-20	9 0 0 1 4 0 2 6
1-phase track   right	Black	88-55-20	9 0 0 1 4 0 2 7

#### Middle Feed

TYPE	COLOUR	L · W · H (MM)	ORDERCODE
1-phase track   straight	White	145-30-20	9 0 0 1 4 0 3 6
1-phase track   straight	Black	145-30-20	9 0 0 1 4 0 3 7



WEVER & DUCRÉ  
LIGHTING

# PIRRO

## OPAL on track 2.0

173284E5

### X-Connector

TYPE	COLOUR	L · W · H (MM)	ORDERCODE
1-phase track	White	145-145-20	9 0 0 1 4 0 4 9
1-phase track	Black	145-145-20	9 0 0 1 4 0 5 0