



WEVER & DUCRÉ
LIGHTING

CENO SURFACE 4.1

176964W3

Project

Type

Notes

Quantity

Date

GENERAL

Ceiling , Surface

Tilt max 90°

Rotation 350°

White Matt

RAL 9010^a

IP20

Interior

Output: 2040 lm

CIE flux code: 99 100 100 100 100

LED

2700 K

CRI ≥ 90

L70 / 55000h

2 SDCM

OPTICAL

Medium , Beam angle 31°

ELECTRICAL

phase-cut dim

220 - 240 V

Total connected power 29.6 W

Class 1

PHYSICAL

Diameter 34 mm


Height 55 mm

0.78 kg

^a Color may deviate slightly due to production conditions.



Ceiling surface luminaire with 4 spotlights; made from die-cast aluminium; with rectangular base; surface White Matt; powder coated, matt texture; RAL 9010; inner ring black; with COB (Chip on Board) technology for maximum efficiency; phase-cut dim; light colour 2700 K; binning initial MacAdam ≤ 2 SDCM; CRI ≥ 90; beam angle 31°; 220 - 240 V; 350° rotatable and 90° tiltable; degree of protection IP20; PC1; driver included; optional honeycomb louver available, to reduce glare; light source replaceable by an authorized professional; control gear replaceable by end-user;




CENO

SURFACE 4.1

176964W3

LIGHT DISTRIBUTION



CONE DIAGRAM

medium 31°

| h (m) | E0° (lx) | ø (m) |
|-------|----------|-------|
| 1 | 1460 | 0.56 |
| 2 | 370 | 1.12 |
| 3 | 160 | 1.68 |
| 4 | 90 | 2.23 |
| 5 | 60 | 2.79 |

OPTICAL

Honeycomb Louver

| TYPE | Ø (MM) | ORDERCODE |
|-----------------------------------|--------|-----------------|
| BLIEK PETIT CENO LECA PIRRO | 29 | 9 0 0 5 1 1 3 1 |