



PROJECT _____

TYPE _____


NOTES _____

QUANTITY _____

DATE _____



Rectangular wall surface luminaire made from aluminium; surface Champagne Brushed; No matching RAL; direct/indirect light distribution; lamp socket GU10; lamp type PAR16; 2x max. 12W; 100 - 240 V; lamp not included; degree of protection IP20; Class 1;



LUMINAIRE

Wall _____
 Surface _____
 Champagne Brushed _____
 No matching RAL _____
 IP20 _____
 Interior _____
 indirect 460 / 480 lm _____
 direct 465 / 485 lm _____
 total 925 / 965 lm _____

LAMP

lamp 2 x PAR16 _____
 socket GU10 _____
 max. per socket 12.0 W _____
 CRI ≥ 90 _____

Electrical

100 - 240 V _____
 Class I _____
 Standard _____

Physical

length 67 mm _____
 width 67 mm _____
 height 200 mm _____
 0.44 kg _____

datasheet.quicksum.material



Aluminium _____

MEASURED LAMPS

PAR16 LAMP 2700K CRI90 _____

PAR16 LAMP 3000K CRI90 _____

LIGHT DISTRIBUTION



[‘301120M0’] The technical data represent rated values for an ambient temperature of 25°C. The data values for the luminous flux are initially subject to a tolerance of +/- 10%, those for the electrical connected load are initially subject to a tolerance of +/- 10%, and those for the colour temperature are initially subject to a tolerance of +/- 150 K. No liability is assumed for typographical or printing errors. The general terms and conditions of Wever & Ducré BV apply.



ELECTRICAL ACCESSORIES

LED LAMPS

Type	Colour	Voltage	Item number
	Black Texture		W901228B3
	Black Texture		W901228B5

LAMPS

PAR16 LED Lamp

Type	Colour	Voltage	Ø·H (MM)	Item number
2700K >90 CRI GU10	White		50-60	901228W3
3000K >90 CRI GU10	White		50-60	901228W5
2700K >80 CRI GU10	Silver		50-55	905227S2
3000K >80 CRI GU10	Silver		50-55	905227S4