



PROJECT _____

TYPE _____

NOTES _____

QUANTITY _____

DATE _____



General

Ceiling _____
 Suspended _____
 Felt Oxide Red _____
 No matching RAL _____
 Interior _____

Optical

Opal _____

Electrical

Standard _____


Physical

diameter 220 mm _____
 height 580 mm _____
 0.45 kg _____

datasheet.quicksum.material

Recycled PET Felt _____

Acoustic element made of high quality PET felt with sound absorbing properties; 100% recyclable; for suspended mounting; surface Felt Oxide Red; No matching RAL; inclusive adjustable cable suspension max. 2500mm;



[‘238500FO’] The technical data represent rated values for an ambient temperature of 25°C. The data values for the luminous flux are initially subject to a tolerance of +/- 10%, those for the electrical connected load are initially subject to a tolerance of +/- 10%, and those for the colour temperature are initially subject to a tolerance of +/- 150 K. No liability is assumed for typographical or printing errors. The general terms and conditions of Wever & Ducré BV apply.


MOUNTING ACCESSORIES
Hook long

Type	Colour	Voltage	Ø·H (MM)	Item number
for cable 4.25-5.5mm diameter	White		15-49	90052083
for cable 4.25-5.5mm diameter	Black		15-49	90052084

Linear multi base 2.3

Type	Colour	Voltage	L·W·H (MM)	Item number
3 luminaires	Black		600·34·52	914133B0
3 luminaires	White		600·34·52	914133W0

Linear multi base 2.6

Type	Colour	Voltage	L·W·H (MM)	Item number
6 luminaires	Black		1200·34·52	914134B0
6 luminaires	White		1200·34·52	914134W0

Linear multi base 2.9

Type	Colour	Voltage	L·W·H (MM)	Item number
9 luminaires	Black		1800·34·52	914135B0
9 luminaires	White		1800·34·52	914135W0

Multi chandelier

Type	Colour	Voltage	Ø·H (MM)	Item number
3 luminaires wide slots	Black		380-44	914124BB0
3 luminaires wide slots	Black + Aluminium Brushed		380-44	914124BL0
3 luminaires wide slots	Black + Champagne		380-44	914124BM0
3 luminaires wide slots	Black + Bronze		380-44	914124BQ0
3 luminaires wide slots	White		380-44	914124WW0
6 luminaires wide slots	Black		380-44	914125BB0
6 luminaires wide slots	Black + Aluminium Brushed		380-44	914125BL0
6 luminaires wide slots	Black + Champagne		380-44	914125BM0
6 luminaires wide slots	Black + Bronze		380-44	914125BQ0
6 luminaires wide slots	White		380-44	914125WW0
9 luminaires wide slots	Black		380-44	914126BB0
9 luminaires wide slots	Black + Aluminium Brushed		380-44	914126BL0
9 luminaires wide slots	Black + Champagne		380-44	914126BM0
9 luminaires wide slots	Black + Bronze		380-44	914126BQ0
9 luminaires wide slots	White		380-44	914126WW0


Multi chandelier LV

Type	Colour	Voltage	Ø-H (MM)	Item number
3 luminaires no slots always use with hooks	Black		380-44	914161BB0
3 luminaires no slots always use with hooks	Black + Aluminium		380-44	914161BL0
3 luminaires no slots always use with hooks	Black + Champagne		380-44	914161BM0
3 luminaires no slots always use with hooks	Black + Bronze		380-44	914161BQ0
3 luminaires no slots always use with hooks	White		380-44	914161WW0
6 luminaires no slots always use with hooks	Black		380-44	914162BB0
6 luminaires no slots always use with hooks	Black + Aluminium		380-44	914162BL0
6 luminaires no slots always use with hooks	Black + Champagne		380-44	914162BM0
6 luminaires no slots always use with hooks	Black + Bronze		380-44	914162BQ0
6 luminaires no slots always use with hooks	White		380-44	914162WW0
9 luminaires no slots always use with hooks	Black		380-44	914163BB0
9 luminaires no slots always use with hooks	Black + Aluminium		380-44	914163BL0
9 luminaires no slots always use with hooks	Black + Champagne		380-44	914163BM0
9 luminaires no slots always use with hooks	Black + Bronze		380-44	914163BQ0
9 luminaires no slots always use with hooks	White		380-44	914163WW0

Semi recessed base round

Type	Colour	Voltage	Ø-H (MM)	Item number
incl. driver 350 mA	Black		84-72	914152B0
incl. driver 350mA	Aluminium		83-72	914152L0
incl. driver 350mA	Champagne		83-72	914152M0
incl. driver 350mA	Bronze		83-72	914152Q0
incl. driver 350 mA	White		84-72	914152W0

Single base round

Type	Colour	Voltage	Ø-H (MM)	Item number
incl. driver	Black		83-39	914112B0
incl. driver	Gold		83-39	914112G0
incl. driver	Aluminium		83-39	914112L0
incl. driver	Champagne		83-39	914112M0
incl. driver	Bronze		83-39	914112Q0
incl. driver	White		83-39	914112W0

TRACK ACCESSORIES
Single Base LV

Type	Colour	Voltage	Ø-H (MM)	Item number
OPLIA	Black		116-28	914116B0
OPLIA	White		116-28	914116W0
	Black		116-28	914117B0
	White		116-28	914117W0

Track Adapter

Type	Colour	Voltage	L-H (MM)	Item number
3-phase track	Black		158-46	914173B0
3-phase track	White		158-46	914173W0